L	Hits	Search Text	DB	Time stamp
Number			}	1
1	7144	(250/492.1,492.21,492.22,492.3,396R,397,39	B USPAT3 07,30	92)QCCC/LB2/04
			US-PGPUB	14:49
2	0	("Lland(CPBor(chargedadjparticleadjbeam))") UBRAT;	2003/12/04
			US-PGPUB	14:49
3	827	((250/492.1,492.21,492.22,492.3,396R,397,3	9 8\$BAB; 307,3	0290,0.30,03125/.0,4
·		and (CPB or (charged adj particle adj		14:50
4	0	bean 50/492.1,492.21,492.22,492.3,396R,397,	β 98pau 6,307,	320203,CTZL50.4
		and (CPB or (charged adj particle adj	US-PGPUB	14:54
		beam))) and ((magnet\$4 near2 (deflect\$5		
		or scan\$5)) with ((power adj supply)		
5	208	nea250f492e1\$292.21,492.22,492.3,396R,397,	398PAU6, 307,	320203,6127,50.4
		and (CPB or (charged adj particle adj	US-PGPUB	14:54
		beam))) and (magnet\$4 near2 (deflect\$5 or		
6	4 .	\$¢\$n\$50}492.1,492.21,492.22,492.3,396R,397	, B98 A 3 06, 307	,2 30003 ,/.12c/1054)
		and (CPB or (charged adj particle adj	US-PGPUB	14:55
		beam))) and (magnet\$4 near2 (deflect\$5 or		

scan\$5))) and ((power adj suppl\$4) with filter\$2)

	σ	1	Document ID	Issu Date	Pages	Title	Current OR
1		\boxtimes	US 20030057382 A1	20030327	17	Charged particle beam irradiation equipment and control method thereof	250/492.3
2			US 20020033449 A1	20020321	128	Inspection system by charged particle beam and method of manufacturing devices using the system	250/306
3			US 5051600 A	19910924	35	Particle beam generator	250/492.3
4			US 4845371 A	19890704	6	Apparatus for generating and transporting a charged particle beam	250/505.1

	Curr nt XRef	R tri val Classif	Inventor	s	С	P	2	3	4	5
1			Akiyama, Hiroshi et al.	⊠						
2			Nakasuji, Mamoru et al.	X						
3	250/396ML; 250/396R; 250/398; 250/400		Schuetz, Marlin N. et al.	⊠						
4	250/396R; 250/492.3; 378/137; 976/DIG.42 8; 976/DIG.43 5		Stieber, Volker	×						

	I	PT	
1	US	20030057382	
2	US	20020033449	
3	US	5051600	
4	US	4845371	

	Туре	L #	Hits	Search Text	DBs	Time Stamp	Comment
1	IS&R	L1	7144	(250/492.1,492.21,492 .22,492.3,396R,397,39 8,306,307,309).CCLS.	USPA T; US-P GPUB	2003/12/0 4 14:49	
2	IS&R	L2	0	("Lland(CPBor(charged adjparticleadjbeam))").PN.		2003/12/0 4 14:49	
3	BRS	L3	827	:/anaraea ana nareidie		2003/12/0 4 14:50	
4	BRS	L4	0	L3 and ((magnet\$4 near2 (deflect\$5 or scan\$5)) with ((power adj supply) near5 filter\$2))	USPA T; US-P GPUB	2003/12/0 4 14:54	
5	BRS	L5	208	L3 and (magnet\$4 near2 (deflect\$5 or scan\$5))		2003/12/0 4 14:54	
6	BRS	L6	4	L5 and ((power adj suppl\$4) with filter\$2)	;	2003/12/0 4 14:55	

	Error Definition	Er ro rs
1		0
2		0
3		0
4		0
5		0
6		0